

# KATILAC ULTRA<sup>TM</sup>


Clear Pre-Catalyzed Lacquer

Conversion varnish performance in a pre-catalyzed product





### Clear Pre-Catalyzed Lacquer



KU / R- $KU KATILAC ULTRA^TM$  out perform virtually any pre-catalyzed lacquer on the market today. In extensive laboratory testing based on the latest NAAWS Performance Standard it achieves a score similar to a conversion varnish, proving just how high performance this product is.

### **Features**

- Excellent flow and levelling / fast dry / easy to sand
- Yellowing resistant / exceptional clarity / water-white
- Ultra-low formaldehyde / isocyanate-free / ultra-low HAPs

### **KU KATILAC ULTRA™**

Clear Pre-Catalyzed Lacquer

- 30% weight solids; 23% volume solids
- 5-10% reduction by volume

### R-KU KATILAC ULTRA™

Ready to Spray Clear Pre-Catalyzed Lacquer

- 30% weight solids; 23% volume solids
- No reduction required / ready to spray

## **Performance Testing**

### **AWMAC / AWI (NAAWS Performance Standards Testing)**

System #2: Pre-Catalyzed Lacquers Standard score - 99/135 KU Series score - 127/135 R-KU Series score - 127/135

### Flammability Testing (ASTM E 84-08a) Surface Burn Rating

Flame Spread Index 5.0 Class 1 / Class A
Smoke Development 5.0 Class 1 / Class A
\*Testing performed on concrete board by accredited independent laboratory

#### **Hot Print Resistance (ASTM D 2091-96)**

72F (18 hrs) 4 psi PASS 120F (1 hr) 4 psi PASS 140F (1 hr) 4 psi PASS

### Hot/Cold Cycle Test (ASTM D 1211-97)

**10 cycles PASS** 

Construction & Material Testing Standards (2017) 6.2 Chemical Resistance	
Orange Juice	Pass
Lemon Juice	Pass
Grape Juice	Pass
Vinegar	Pass
Ketchup	Pass
Coffee	Pass
Olive Oil	Pass
Detergent Solution	Pass

**Canadian Kitchen Cabinet Association** 



Katilac Coatings Inc. 391 Hanlan Road, Unit 1 Woodbridge, ON t. 905 856 6464 | f. 905 856 6584 info@katilaccoatings.com

Mustard

Katilac Coatings Inc. 840 Appleby Line Burlington, ON t. 905 637 2931 | f. 905 637 8918 orders@katilaccoatings.com

**Pass**